

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: 3908B Date of issue: 10/30/2012 Revision date: 8/12/2020 Supersedes version of: 4/21/2020 Version: 8.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Product name	: FLY KILL 3908B
Product code	: 3908B
Type of product	: Biocidal products (e.g. Disinfectants, pest control)
Vaporizer	: Aerosol
Product group	: Trade product
Other means of identification	: 3908B

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture Function or use category

- : Consumer use
- : Pesticides, non-agricultural (Biocides)
- : Pesticides, non-agricultural (Biocides)

#### 1.2.2. Uses advised against

No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

Bio Services International Jagershoek 13 8570 Vichte - Belgique-Belgie T 00.32.56.77.24.34 Ma-Vr 8-12u /13-17u - F 00.32.56.77.24.35 bernard@bioservice.be - www.bsi-products.com

### 1.4. Emergency telephone number

Emergency number

: B 0032.70.245.245//F 0033.(0)383 22 50 50//0033.(0)1.40.05.48.48//N 003130 274 8888.

Country	Organisation/Company	Address	Emergency number	Comment
0	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Aerosol, Category 1
 H222;H229

 Hazardous to the aquatic environment — Chronic Hazard, Category 3
 H412

 Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	GHS02
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from sparks, open flames, heat. No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P501 - Dispose of contents/container to contents and container hazardous or special waste
	collection point, in accordance with local, regional, national and/or international regulation.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

## 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Kerosine (petroleum), hydrodesulfurized; Kerosine— unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).]	(CAS-No.) 64742-81-0 (EC-No.) 265-184-9 (EC Index-No.) 649-423-00-8	25 – 50	Asp. Tox. 1, H304
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
TETRAMETHRIN	(CAS-No.) 7696-12-0 (EC-No.) 231-711-6	0.276	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1R-Trans phenothrine	(CAS-No.) 26046-85-5 (EC-No.) 247-431-2	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and effects, both acute and delayed	

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>Toxic fumes may be released.</li> </ul>		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information	
6.2. Environmental precautions	refer to section 8: "Exposure controls/personal protection".	

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up: Mechanically recover the product.Other information: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.		
7.3. Specific end use(s)			

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Belgium - Occupational Exposure Limits		
	Alcool isopropylique	
Limit value (mg/m³)	500 mg/m <sup>3</sup>	
Limit value (ppm)	200 ppm	
Short time value (mg/m³)	1000 mg/m <sup>3</sup>	
Short time value (ppm)	400 ppm	
France - Occupational Exposure Limits		
Local name	Alcool isopropylique	
VLE (mg/m³)	980 mg/m³	
VLE (ppm)	400 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
TRGS 900 Local name	Propan-2-ol	
Occupational exposure limit value (mg/m³)	500 mg/m³	
Occupational exposure limit value (ppm)	200 ppm	
Limitation of exposure peaks (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>	
TRGS 900 Remark	DFG,Y	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 8H (mg/m <sup>3</sup> )	650 mg/m³	
Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	0 mg/m³	
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (mg/m³)	999 mg/m³	
WEL TWA (ppm)	400 ppm	
WEL STEL (mg/m³)	1250 mg/m <sup>3</sup>	
WEL STEL (ppm)	500 ppm	

## 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

nd protection:	
otective gloves	
e protection:	
Safety glasses	
spiratory protection:	
No respiratory protection needed under normal use conditions	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



## Environmental exposure controls:

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless to pale yellow liquid.
Colour	: No data available
Odour	: gasoline-like.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈ 12 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 0.63 kg/l
Solubility	: Partially soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

**10.5. Incompatible materials** 

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral) :	Not classified
Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified
propane (74-98-6)	
LC50 inhalation rat (mg/l)	> 10 mg/l
butane (106-97-8)	
LC50 inhalation rat (mg/l)	> 10 mg/l
propan-2-ol; isopropyl alcohol; isopropanol (6	\$7-63-0)
LD50 oral	4396 mg/kg bodyweight
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
FLY KILL 3908B	
Vaporizer	Aerosol

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l waterflea

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 other aquatic organisms 2	> 1000 mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	

Waste treatment methods

13.1. Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

4.1. UN number			ADN	RID
	·	ľ	· ·	
UN 1950	UN 1950	Not regulated	Not regulated	Not regulated
4.2. UN proper shipping	g name	·	·	
AEROSOLS (propane)	AEROSOLS (propane)	Not regulated	Not regulated	Not regulated
ransport document descr	iption	·	·	
UN 1950 AEROSOLS (propane), 2.1, (D)	UN 1950 AEROSOLS (propane), 2.1	Not regulated	Not regulated	Not regulated
4.3. Transport hazard o	lass(es)	I	I	
2.1	2.1	Not regulated	Not regulated	Not regulated
		Not regulated	Not regulated	Not regulated
4.4. Packing group		I		
Not applicable	Not applicable	Not regulated	Not regulated	Not regulated
4.5. Environmental haz	ards	·	·	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Not regulated	Not regulated	Not regulated

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR)	:	5F
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	EO
Packing instructions (ADR)	:	P207
Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)	:	MP9
Transport category (ADR)	:	2
Special provisions for carriage - Packages (ADR)	:	V14
Special provisions for carriage - Loading, unloading	:	CV9, CV12
and handling (ADR)		
Special provisions for carriage - Operation (ADR)	:	S2
Tunnel restriction code (ADR)	:	D
Transport by sea		
Special provisions (IMDG)	:	63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	:	SP277
Excepted quantities (IMDG)	:	E0
Packing instructions (IMDG)	:	P207, LP02
Special packing provisions (IMDG)	:	PP87, L2
EmS-No. (Fire)	:	F-D
EmS-No. (Spillage)	:	S-U
Stowage category (IMDG)	:	None
Stowage and handling (IMDG)	:	SW1, SW22
Segregation (IMDG)	:	SG69
Air transport		
Not regulated		
Inland waterway transport		
Not regulated		
Rail transport		

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Kerosine (petroleum), hydrodesulfurized; Kerosine— unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).] is listed

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van mutagene stoffen	: Kerosine (petroleum), hydrodesulfurized; Kerosine— unspecified; [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).] is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Full text of H- and EUH-state	ements:
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.